

OPERATOR: HELIAIR SWEDEN AB
 AIRCRAFT TYPE: AS 350B2
 AIRCRAFT S/N: 2880
 REGISTRATION: SE-JPF
 TILLV. ÅR: 1995
 MAX STARTVIKT: 2250 KG

HOOK HOURS: 77,9

ENG.1/TT: 7895,5
 ENG. CYCLES NG: 11441,7
 ENG. CYCLES NF: 9061,7

AC/TT: 6921,1
 FLIGHT LOG No: 3417
 TOTAL LANDINGS: 14868
 HOOK CYCLES: 480
 TOTAL CYCLES: 15348

DATE: 170509

A=AIRFRAME
 E=ENGINE
 C=CYCLES
 H=HOOK

YELLOW FIELDS ARE EDITABLE

| INSPECTION | P/N | S/N | INSTALLATION | | | TBO HRS / CYCLE | TBO M | REM HRS / CYCLE | REM DATE | HRS/ C/M IN SERV. | M:TO SERV | HRS: E TO SERV | CODE | VARN | REMARKS |
|---|---------------------|----------------|--------------|--------------|--------|-----------------------|----------|-----------------------|-------------|-------------------------|--------------|----------------------|------|------|------------|
| | | | DATE | HRS CYCLE | ISO | | | | | | | | | | |
| 600-HRS/12M ENGINE | | | 140715 | 6365,4 | | 600 | | 6965,4 | | 556 h | | 44 h | A | | INSPECTION |
| 50-HRS, AIRFRAME | | | 170505 | 6921,0 | | 50 | | 6971,0 | | 0 h | | 50 h | A | | INSPECTION |
| 50-HRS, ENGINE | | | 170505 | 6921,0 | | 50 | | 6971,0 | | 0 h | | 50 h | A | | INSPECTION |
| 300-HRS/12M ENGINE | | | 160922 | 6672,9 | | 300 | 12M | 6972,9 | 170922 | 248 h | 4,5 m | 52 h | A | | INSPECTION |
| 300-HRS, AIRFRAME | | | 160922 | 6672,9 | | 300 | | 6972,9 | | 248 h | | 52 h | A | | INSPECTION |
| 300-HRS, ENGINE | | | 160922 | 6672,9 | | 300 | | 6972,9 | | 248 h | | 52 h | A | | INSPECTION |
| 150-HRS, ENGINE | | | 170329 | 6835,6 | | 150 | 12M | 6985,6 | 180329 | 86 h | 10,6 m | 65 h | A | | INSPECTION |
| 150-HRS/12M, AIRFRAME | | | 170329 | 6835,6 | | 150 | 12M | 6985,6 | 180329 | 86 h | 10,6 m | 65 h | A | | INSPECTION |
| 150-HRS, AIRFRAME | | | 170329 | 6835,6 | | 150 | | 6985,6 | | 86 h | | 65 h | A | | INSPECTION |
| 100-HRS, AIRFRAME | | | 170505 | 6921,0 | | 100 | | 7021,0 | | 0 h | | 100 h | A | | INSPECTION |
| 100-HRS, ENGINE | | | 170505 | 6921,0 | | 100 | | 7021,0 | | 0 h | | 100 h | A | | INSPECTION |
| 200-HRS, ENGINE | | | 170329 | 6835,6 | | 200 | 12M | 7035,6 | 180329 | 86 h | 10,6 m | 115 h | A | | INSPECTION |
| 750-HRS/12M ENGINE | | | 140715 | 6365,4 | | 750 | | 7115,4 | | 556 h | | 194 h | A | | INSPECTION |
| 400-HRS ENGINE | | | 170130 | 6752,7 | | 400 | | 7152,7 | | 168 h | | 232 h | A | | INSPECTION |
| 1000-HRS, ENGINE | | | | 6196,6 | | 1000 | | 7196,6 | | 725 h | | 276 h | A | | INSPECTION |
| 600-HRS/24MONTH INSP AIRFRAME | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | INSPECTION |
| 600-HRS, AIRFRAME | | | 160922 | 6672,9 | | 600 | | 7272,9 | | 248 h | | 352 h | A | | INSPECTION |
| 500-HRS ENGINE | | | 170329 | 6835,6 | | 500 | | 7335,6 | | 86 h | | 415 h | A | | INSPECTION |
| 1000-HRS/48M, AIRFRAME | | | 140715 | 6365,4 | | 1000 | 48M | 7365,4 | 180715 | 556 h | 14,2 m | 444 h | A | | INSPECTION |
| 1200HRS/48MONTH INSP AIRFRAME | | | 140715 | 6365,4 | | 1200 | 48M | 7565,4 | 180715 | 556 h | 14,2 m | 644 h | A | | INSPECTION |
| 1500-HR | | | | 6196,6 | | 1500 | | 7696,6 | | 725 h | | 776 h | A | | INSPECTION |
| 2400-HRS/72M, AIRFRAME | | | 140715 | 6365,4 | | 2400 | 72M | 8765,4 | 200715 | 556 h | 38,2 m | 1844 h | A | | INSPECTION |
| 5400-HRS, AIRFRAME | | | 081024 | 5231,5 | | 5400 | | 10631,5 | | 1690 h | | 3710 h | A | | INSPECTION |
| YEARLY INSPECTION AIRFRAME | | | 160922 | 6672,9 | | | 12M | | 170922 | | 4,5 m | | A | | INSPECTION |
| 144 MONTH INSPECTION AIRFRAME | | | 081024 | 5231,5 | | | 144M | | 201024 | | 41,6 m | | A | | INSPECTION |
| COMPONENT AC/TT | | | | | | | | | | | | | | | |
| INSPECT BI-DIRECTIONAL CROSSBAR IAW ASB 05.00.84, AD 2015-0094 | | | | | | 3500 | | 3500,0 | | 6921 h | | -3421 h | A | OVER | TEST |
| STARFLEX STAR | 350A31-1917-00 | M1393 | 080901 | 5231,5 | 674,3 | 2400 | | 6957,2 | | 2364 h | | 36 h | A | VARN | RETIRE |
| SERVO CONTROL, MAIN. AMM 67-32-00, 4-1 | SC5083 (704A4483114 | 1837 | 110524 | 6096,4 | 2134,0 | 3000 | 134M | 6962,4 | 220724 | 3113 h | 116,4 m | 41 h | A | VARN | LIFE |
| TAILBOOM-TO-FUSELAGE-JUNCTION. AMM 53-31-00, 6-1 | | | 140715 | 6365,4 | | 600 | | 6965,4 | | 556 h | | 44 h | A | VARN | CHECK |
| PERFORM INSP. OF BOTTOM STRUCTURE | SB350-05.00.78 | | 140715 | 6365,4 | | 600 | | 6965,4 | | 556 h | | 44 h | A | VARN | CHECK |
| SWASHPLATE INSPECTION. AMM 62-32-00, 6-7 | | | 150729 | 6368,4 | | 600 | 24M | 6968,4 | 170729 | 553 h | 2,7 m | 47 h | A | VARN | INSPECTION |
| VISUAL CHECK OF YAW CONTROL SUPPORT I.A.W. SB05.00.59 | | | 150729 | 6368,4 | | 600 | 24M | 6968,4 | 170729 | 553 h | 2,7 m | 47 h | A | VARN | INSPECTION |
| INSPECT M/R SWASHPLATE FREE ROTATION IAW AMM 62-32-00, 6-1 | | | 150729 | 6368,4 | | 600 | | 6968,4 | | 553 h | | 47 h | A | VARN | OVERHAUL |
| SWASHPLATE. AMM 62-32-00, 6-1, 6-2, 6-3 | | | 160922 | 6672,9 | | 300 | | 6972,9 | | 248 h | | 52 h | A | | INSPECTION |
| START/GENERATOR, BRUSH CHECK. AMM 24-31-01, 150SG122Q | | 8183 | 160922 | 6672,9 | | 300 | | 6972,9 | | 248 h | | 52 h | A | VARN | CHECK |
| INSPECT T/R DRIVE SHAFT BEARINGS IAW ASB 01.00.70 §1.E.2.b | | | 170329 | 6835,6 | | 150 | | 6985,6 | | 86 h | | 65 h | A | VARN | CHECK |
| CHECK OF REAR FRAME REINFORC. ANGLES | EASB 05-00-70 | AD 2014-0076-E | 170329 | 6835,6 | | 150 | | 6985,6 | | 86 h | | 65 h | A | VARN | CHECK |
| M/R BLADE PINS, GREASING. AMM 62-11-00, 3-3 | | | 170505 | 6921,0 | | 100 | 6M | 7021,0 | 171105 | 0 h | 234,0 m | 100 h | | | REGREASE |
| INSPECT CARGO HOOK MECHANICAL RELEASE CABLE INSTALLATION | | | 170505 | 6921,0 | | 100 | | 7021,0 | | 0 h | | 100 h | A | VARN | CHECK |
| STARTER/GENERATOR CHECK IAW SB 05.00.75 | 150SG122Q | | 160118 | 6452,5 | | 600 | | 7052,5 | | 469 h | | 131 h | A | VARN | CHECK |
| INSPECT P2 PIPES ACC. TO SB 05.00.83R1, §3 | | | 170505 | 6921,0 | | 150 | 12M | 7071,0 | 180505 | 0 h | 11,9 m | 150 h | A | | INSPECTION |
| MGB MINERAL OIL, DRAIN AND FILL. AMM 12-10-00, 3-1 | | | 160829 | 6666,1 | | 600 | 24M | 7266,1 | 180829 | 255 h | 15,7 m | 345 h | A | | LIFE |
| CHECK OF M/R HUB/MAST BOLTS IAW IN 3127-i-62 | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | ONE TIME |
| COLLECTIVE LOCKING TAB INSP. AMM 67-12-00, 6-2A. NO MARGIN ON CAL. TIME | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | INSPECTION |

OPERATOR: HELIAIR SWEDEN AB
 AIRCRAFT TYPE: AS 350B2
 AIRCRAFT S/N: 2880
 REGISTRATION: SE-JPF
 TILLV. ÅR: 1995
 MAX STARTVIKT: 2250 KG

HOOK HOURS: 77,9

ENG.1/TT: 7895,5
 ENG. CYCLES NG: 11441,7
 ENG. CYCLES NF: 9061,7

AC/TT: 6921,1
 FLIGHT LOG No: 3417
 TOTAL LANDINGS: 14868
 HOOK CYCLES: 480
 TOTAL CYCLES: 15348
 YELLOW FIELDS ARE EDITABLE

DATE: 170509
 A=AIRFRAME
 E=ENGINE
 C=CYCLES
 H=HOOK

| INSPECTION | P/N | S/N | INSTALLATION | | | TBO HRS / CYCLE | TBO M | REM HRS / CYCLE | REM DATE | HRS/ C/M IN SERV. | M.TO SERV. | HRS/E TO SERV. | CODE | VARN | REMARKS |
|--|----------------------|-----------|--------------|---------------|--------|-----------------------|----------|-----------------------|-------------|-------------------------|---------------|----------------------|------|------|------------|
| | | | DATE | HRS. CYCLE | ISO | | | | | | | | | | |
| ELECTRICAL POWER CHECK IAW AMM 24-00-00, 6-1 | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | INSPECTION |
| BATTERY TEMPERATURE WARNING LIGHT. AMM 24-33-00, 5-1 | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | INSP. |
| TGB MINERAL OIL, DRAIN AND FILL. AMM 12-10-00, 3-1 | | | 160922 | 6672,9 | | 600 | 24M | 7272,9 | 180922 | 248 h | 16,5 m | 352 h | A | | LIFE |
| INSP AND TRQ CHECK OF LOWER AND UPPER FIN IAW AMM 55-20-00, 6-2. NO MARGIN | | | 161216 | 6724,8 | | 600 | 24M | 7324,8 | 181216 | 196 h | 19,3 m | 404 h | A | | INSPECTION |
| START/GENERATOR | 150SG122Q | 8183 | 160118 | 6452,5 | | 900 | | 7352,5 | | 469 h | | 431 h | A | | RETIRE |
| FILTER-FILTER ELEMENT REPLACEMENT. AMM 28-00-00, 3-3 | | | 150203 | 6367,2 | | 1000 | 48M | 7367,2 | 190203 | 554 h | 20,9 m | 446 h | A | | LIFE |
| HYDRAULIC FILTER REPL., AMM 29-10-00, 4-3B | 806966 | | 150729 | 6368,4 | | 1000 | 48M | 7368,4 | 190729 | 553 h | 26,7 m | 447 h | A | | LIFE |
| T/R BLADE | 355A12-0040-08 | 7566 | 110907 | 6199,2 | 2794,7 | 4000 | | 7404,5 | | 3517 h | | 483 h | A | | REPLACE |
| TRH PITCH CHANGE UNIT- BEARING | 704A33-651-210) | 3160 | 070731 | 4823,1 | 0,0 | 3000 | | 7823,1 | | 2098 h | | 902 h | A | | LIFE |
| CARGO HOOK | 528-023-01 | 71 | 160426 | 0,0 | | 1000 | 60M | 1000,0 | 210426 | 78 m | 47,6 m | 922 h | H | | OVERHAUL |
| CASING. GVI. VISUAL CHECK. AMM 65-21-00, 6-13 | 350A33-0200-05 | | 160922 | 6672,9 | | 1200 | 24M | 7872,9 | 180922 | 248 h | 16,5 m | 952 h | A | | LIFE |
| HYDRAULIC PUMP- POLY "V" BELT | POLY-V 597K4 | NSN | 140321 | 6365,4 | | 1800 | 72M | 8165,4 | 200321 | 556 h | 34,4 m | 1244 h | A | | LIFE |
| SERVO CONTROL, MAIN. AMM 67-32-00, 4-1 | SC5083 (704A4483114) | 725 | 081007 | 5231,3 | 0,0 | 3000 | 240M | 8231,3 | 281007 | 1690 h | 137,1 m | 1310 h | A | | OVERHAUL |
| OIL TEMPERATURE WARNING SYSTEM. AMM 63-42-00, 5-1, 5-2 | | | 140715 | 6365,4 | | 2400 | 72M | 8765,4 | 200715 | 556 h | 38,2 m | 1844 h | A | | LIFE |
| TAILBOOM-TO-FUSELAGE-JUNCTION, TORQUE CHECK. AMM 53-31-00, 6-1 | | | 140715 | 6365,4 | | 2500 | 72M | 8865,4 | 200715 | 556 h | 38,2 m | 1944 h | A | | CHECK |
| SERVO CONTROL TAIL. AMM 67-33-00, 4-1 | SC5072 (704A4483114) | 421 | 101005 | 5884,5 | 0,0 | 3000 | 288M | 8884,5 | 341005 | 1037 h | 49,9 m | 1963 h | A | | OVERHAUL |
| FUEL PUMP (1). CHECK THE LENGHT OF THE BRUSHES. CMM 28.19.04 | P94B12-208 | 28010 | 160717 | 6613,0 | 0,0 | 2400 | | 9013,0 | | 308 h | | 2092 h | A | | INSPECTION |
| FUEL PUMP (2) CHECK THE LENGHT OF THE BRUSHES. CMM 28.19.04 | P94B12-209 | A33743 | 160729 | 6634,5 | | 2400 | | 9034,5 | | 287 h | | 2113 h | A | | OVERHAUL |
| DRAIN HYDRAULIC FLUID & FILTER SERVICE | HYDRANUCOIL FH2 | | 140715 | 6365,4 | | 3000 | 48M | 9365,4 | 180715 | 556 h | 14,2 m | 2444 h | A | | LIFE |
| VIBRATION DAMPER, SPRING TYPE. AMM 62-21-00, 6-11 | | | 140715 | 6365,4 | | 3000 | 72M | 9365,4 | 200715 | 556 h | 38,2 m | 2444 h | A | | LIFE |
| MGB SUSPENSION CROSS BAR. AMM 63-31-00, 6-1, 6-3 | | | 140715 | 6365,4 | | 3000 | 72M | 9365,4 | 200715 | 556 h | 38,2 m | 2444 h | A | | INSPECTION |
| SERVO CONTROL, MAIN. AMM 67-32-00, 4-1 | SC5083 (704A4483114) | 411 | 080715 | 6365,4 | 0,0 | 3000 | 240M | 9365,4 | 280715 | 556 h | 134,4 m | 2444 h | A | | OVERHAUL |
| MRH ATTACHMENT BOLTS (1) | 350A37-1244-20 | 89480 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | RETIRE |
| MRH ATTACHMENT BOLTS (2) | 350A37-1244-20 | 89717 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | OVERHAUL |
| MRH ATTACHMENT BOLTS (3) | 350A37-1244-20 | 90545 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (4) | 350A37-1244-20 | 90953 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (5) | 350A37-1244-20 | 91155 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (6) | 350A37-1244-20 | 91761 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (1) | 350A37-1245-20 | 83010 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (2) | 350A37-1245-20 | 83324 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (3) | 350A37-1245-20 | 83621 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (4) | 350A37-1245-20 | 83641 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (5) | 350A37-1245-20 | 84831 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| MRH ATTACHMENT BOLTS (6) | 350A37-1245-20 | 85565 | 140715 | 6365,4 | | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| SPHERICAL THRUST BEARING BOLTS (1) | 350A31-1854-21 | 63518 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | OVERHAUL |
| SPHERICAL THRUST BEARING BOLTS (2) | 350A31-1854-21 | 63595 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| SPHERICAL THRUST BEARING BOLTS (3) | 350A31-1854-21 | 63003 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| SPHERICAL THRUST BEARING BOLTS (4) | 350A31-1854-21 | 63523 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | LIFE |
| SPHERICAL THRUST BEARING BOLTS (5) | 350A31-1854-21 | 63584 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | INSPECTION |
| SPHERICAL THRUST BEARING BOLTS (6) | 350A31-1854-21 | 63571 | 140715 | 6365,4 | 0,0 | 3000 | | 9365,4 | | 556 h | | 2444 h | A | | RETIRE |
| EPICYCLIC REDUCTION GEAR. POST MOD 077175 | 350A32-0110-00 | M934 | 111103 | 6250,8 | | 3500 | 288M | 9750,8 | 351103 | 670 h | 234,0 m | 2830 h | A | | OVERHAUL |
| TGB | 350A33-0200-05 | M2429 | 111103 | 6250,8 | | 3500 | 288M | 9750,8 | 351103 | 670 h | 234,0 m | 2830 h | A | | OVERHAUL |
| OIL PUMP. POST MOD 077175 | 350A32-0400-00 | M2139 | 111103 | 6250,8 | | 3500 | 288M | 9750,8 | 351103 | 670 h | 234,0 m | 2830 h | A | | OVERHAUL |
| BEVEL REDUCTION GEAR | 350A32-0300-04 | M2043 | 111103 | 6250,8 | | 3500 | 288M | 9750,8 | 351103 | 670 h | 234,0 m | 2830 h | A | | OVERHAUL |
| TAIL ROTOR DRIVE SHAFT- GREASABLE BEARING (| 593404 (704A33651181 | X5 | 131120 | 6365,4 | | 3600 | 60M | 9965,4 | 181120 | 556 h | 18,4 m | 3044 h | A | | LIFE |
| HYDRAULIC PUMP- DRIVE BEARING | 593733 (704A33651206 | R/NA11562 | 160922 | 6672,9 | | 3600 | 72M | 10272,9 | 220922 | 248 h | 64,5 m | 3352 h | A | | OIL CHANGE |
| AFT SHAFT | 350A34-0210-06 | M2785 | 950329 | 0,0 | 0,0 | 10500 | | 10500,0 | | 6921 h | | 3579 h | A | | LIFE |

OPERATOR: HELIAIR SWEDEN AB
 AIRCRAFT TYPE: AS 350B2
 AIRCRAFT S/N: 2880
 REGISTRATION: SE-JPF
 TILLV. ÅR: 1995
 MAX STARTVIKT: 2250 KG

HOOK HOURS: 77,9

ENG.1/TT: 7895,5
 ENG. CYCLES NG: 11441,7
 ENG. CYCLES NF: 9061,7

AC/TT: 6921,1
 FLIGHT LOG No: 3417
 TOTAL LANDINGS: 14868
 HOOK CYCLES: 480
 TOTAL CYCLES: 15348

DATE: 170509

A=AIRFRAME
 E=ENGINE
 C=CYCLES
 H=HOOK

YELLOW FIELDS ARE EDITABLE

| INSPECTION | P/N | S/N | INSTALLATION | | | TBO HRS / CYCLE | TBO M | REM HRS / CYCLE | REM DATE | HRS/ C/M IN SERV. | M-T-O SERV | HRS/E TO SERV. | CODE | VARN | REMARKS |
|---|------------------|---------|--------------|--------------|---------|-----------------------|----------|-----------------------|-------------|-------------------------|---------------|----------------------|------|------|--------------|
| | | | DATE | HRS CYCLE | ISO | | | | | | | | | | |
| LANDING GEAR SHOCK ABSORBER. AMM 32-11-00, 5-1, 32-11-00, 6-1 | | | 081024 | 5231,5 | | 5400 | | 10631,5 | | 1690 h | | 3710 h | A | | CHECK |
| SKID LANDING GEAR. AMM 32-11-00, 6-1, 32-11-00, 6-3, 32-11-00, 6-4 | | | 081024 | 5231,5 | | 5400 | | 10631,5 | | 1690 h | | 3710 h | A | | OVERHAUL |
| FINS. AMM 55-20-00, 6-2 | | | 081024 | 5231,5 | | 5400 | | 10631,5 | | 1690 h | | 3710 h | A | | CHECK |
| SPHERICAL THRUST BEARING (704A33-633-109) | 579061 | 7339 | 140427 | 5231,5 | 878,5 | 6400 | | 10753,0 | | 2568 h | | 3832 h | A | | RETIRE |
| SPHERICAL THRUST BEARING (704A33-633-109) | 579061 | 7368 | 140427 | 5231,5 | 878,5 | 6400 | | 10753,0 | | 2568 h | | 3832 h | A | | RETIRE |
| SPHERICAL THRUST BEARING (704A33-633-109) | 579061 | 7382 | 140427 | 5231,5 | 878,5 | 6400 | | 10753,0 | | 2568 h | | 3832 h | A | | RETIRE |
| SWASHPLATE- 4 CONTACTS BEARING | 704A33651158 | NR6830 | 070622 | 4782,8 | 0,0 | 6300 | | 11082,8 | | 2138 h | | 4162 h | A | | RETIRE |
| TRANSMISSION COMPONENTS. AMM 05-60-00, 6-1 | | | 140715 | 6365,4 | | 5000 | 72M | 11365,4 | 200715 | 34 m | 38,2 m | 4444 h | | | LIFE |
| LOWER SLEEVE FLANGE (FLAT) | 350A31-1850-02 | M20528 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | RETIRE |
| LOWER SLEEVE FLANGE (FLAT) | 350A31-1850-02 | M21375 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | RETIRE |
| LOWER SLEEVE FLANGE (FLAT) | 350A31-1850-02 | M19844 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | RETIRE |
| UPPER SLEEVE FLANGE (FLAT) | 350A31-1850-03 | M21076 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | RETIRE |
| UPPER SLEEVE FLANGE (FLAT) | 350A31-1850-03 | M19535 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | INSPECTION |
| UPPER SLEEVE FLANGE (FLAT) | 350A31-1850-03 | M21605 | 080901 | 5231,5 | | 6600 | | 11831,5 | | 1690 h | | 4910 h | A | | LIFE |
| BEVEL GEAR, TGB | 350A33-1000-21 | L9541 | 111103 | 6250,8 | 2783,4 | 10600 | | 14067,4 | | 3454 h | | 7146 h | A | | OVERHAUL |
| MGB BOTTOM CASING | 350A32-3119-03 | M4225 | 111103 | 6250,8 | 6882,3 | 20000 | | 19368,5 | | 7553 h | | 12447 h | A | | LIFE |
| PLANET GEAR (1) | 350A32-1082-03 | ZF11390 | 111103 | 6250,8 | 6657,1 | 20000 | | 19593,7 | | 7327 h | | 12673 h | A | | LIFE |
| PLANET GEAR (2) | 350A32-1082-03 | ZF11410 | 111103 | 6250,8 | 6657,1 | 20000 | | 19593,7 | | 7327 h | | 12673 h | A | | LIFE |
| PLANET GEAR (3) | 350A32-1082-03 | ZF11425 | 111103 | 6250,8 | 6657,1 | 20000 | | 19593,7 | | 7327 h | | 12673 h | A | | LIFE |
| PLANET GEAR (4) | 350A32-1082-03 | ZF11463 | 111103 | 6250,8 | 6657,1 | 20000 | | 19593,7 | | 7327 h | | 12673 h | A | | LIFE |
| PLANET GEAR (5) | 350A32-1082-03 | ZF11476 | 111103 | 6250,8 | 6657,1 | 20000 | | 19593,7 | | 7327 h | | 12673 h | A | | LIFE |
| BEVEL GEAR, MGB | 350A32-3122-21 | 2420 | 111103 | 6250,8 | 5953,4 | 20000 | | 20297,4 | | 6624 h | 234,0 m | 13376 h | A | | OVERHAUL |
| BEVEL WHEEL, MGB | 350A32-3123-21 | 2235 | 111103 | 6250,8 | 5953,4 | 20000 | | 20297,4 | | 6624 h | 234,0 m | 13376 h | A | | OVERHAUL |
| CASING, TGB | 350A33-1090-01 | DA106 | 111103 | 6250,8 | 2999,0 | 20000 | | 23251,8 | | 3669 h | | 16331 h | A | | LIFE |
| TAIL ROTOR SHAFT | 350A33-1092-01 | MA1740 | 111103 | 6250,8 | 2870,9 | 20000 | | 23379,9 | | 3541 h | | 16459 h | A | | LIFE |
| BEVEL WHEEL, TGB | 350A33-1001-21 | L7972 | 111103 | 6250,8 | 2783,4 | 20000 | | 23467,4 | | 3454 h | | 16546 h | A | | LIFE |
| TGB CONTROL LEVER | 350A33-1526-00 | MA70761 | 111103 | 6250,8 | 0,0 | 20000 | | 26250,8 | | 670 h | | 19330 h | A | | LIFE |
| M/R BLADE | 355A11-0030-04 | 43230 | 140715 | 6365,4 | | 20000 | | 26365,4 | | 556 h | | 19444 h | A | | LIFE |
| M/R BLADE | 355A11-0030-04 | 43104 | 140715 | 6365,4 | | 20000 | | 26365,4 | | 556 h | | 19444 h | A | | LIFE |
| M/R BLADE | 355A11-0030-04 | 43206 | 140715 | 6365,4 | | 20000 | | 26365,4 | | 556 h | | 19444 h | A | | LIFE |
| MGB BOTTOM CASING, INSP IAW ASB 01.00.69 | 350A32-3119-03 | | 160922 | 14645,0 | 0 c | 27000 c | | 41645 c | | 703 c | | 26297 c | A | | CHECK |
| INSPECT BI-DIRECTIONAL CROSSBAR IAW ASB 05.00.40, AD 2015-0094 | | | | | | 12922,0 | 60000 c | 47078,0 | | 28270 h | | 31730 c | A | | LIFE |
| PLANET GEAR CAGE | 350A32-1089-21 | | | | | 14162 c | 68700 c | 54538 c | | 29510 c | | 39190 c | C | | LIFE |
| PLANET GEAR CAGE (CARRIER) | 350A32-1089-21 | ZF1086 | 111103 | 12870 c | 14615 c | 68700 c | | 66955 c | | 17093 c | | 51607 c | C | | LIFE |
| MGB BOTTOM CASING | 350A32-3119-03 | M4225 | 151001 | 13182 c | 38712 c | 92700 c | | 67170 c | | 40878 c | | 51822 c | A | | INSPECTION |
| BLADE HORN (1) | 350A31-1877-03 | M112102 | 080901 | 5231,5 | 4375,6 | 80000 | | 80855,9 | | 6065 h | | 73935 h | A | | LIFE |
| BLADE HORN (2) | 350A31-1877-03 | M112296 | 080901 | 5231,5 | 4375,6 | 80000 | | 80855,9 | | 6065 h | | 73935 h | A | | LIFE |
| BLADE HORN (3) | 350A31-1877-03 | M112301 | 080901 | 5231,5 | 4375,6 | 80000 | | 80855,9 | | 6065 h | | 73935 h | A | | LIFE |
| MAIN ROTOR SHAFT | 350A37-1290-03 | M4665 | 950412 | 0 c | 0 c | 160000 c | | 160000 c | | 15348 c | | 144652 c | C | | LIFE |
| HYDRAULIC FLUID DRAINING, COLD COND. AMM 29-00-00, 3-3 | | | 140715 | 6365,4 | | 110 | 1M | 3273,9 | 340428 | 827 h | -46,9 m | -717 h | A | OVER | -15° CELSIUS |
| INSPECT T/R BLADE | 355A12-0040-08 | 7566 | 110827 | | | | | | | | | 3,6 m | A | | INSPECTION |
| CORROSION CONTROL OF OIL PUMP. POST MOD 07 | 350A32-0400-00 | M2139 | 111103 | 6250,8 | | | | | | | | 77,9 m | A | | INSPECTION |
| CORROSION INSP OF BEVEL REDUCTION GEAR | 350A32-0300-04 | M2043 | 111103 | 6250,8 | | | | | | | | 77,9 m | A | | INSPECTION |
| PERFORM SB 33.00.40, IMPROVEMENT OF WIRING PROTECTION IN THE STABILIZER | | | | | | | | | | | | | | VARN | LIFE |
| ENGINE COMPONENTS (ARRIEL 1D1 292005220) S/N: 9657 | | | | | | | | | | | | | | | |
| ENGINE OIL DRAINING | MOBIL JET OIL II | | 160922 | 7647,3 | | 750 | 24M | 8397,3 | 180922 | 248 h | 16,5 m | 502 h | A | | |
| FCU FILTER REPLACEMENT (73-21-10-900-801) | 9520010656 | | 071106 | 5334,8 | 0,0 | 3000 | | 8334,8 | | 2561 h | | 439 h | A | | LIFE |
| INJECTION WHEEL | 0292254010 | 0564XG | 101105 | 7172 c | 4775 c | 10000 | | 12396,6 | | 9045 c | | 955 c | C | | LIFE |

OPERATOR: HELIAIR SWEDEN AB
 AIRCRAFT TYPE: AS 350B2
 AIRCRAFT S/N: 2880
 REGISTRATION: SE-JPF
 TILLV. ÅR: 1995
 MAX STARTVIKT: 2250 KG

HOOK HOURS: 77,9

ENG.1/TT: 7895,5
 ENG. CYCLES NG: 11441,7
 ENG. CYCLES NF: 9061,7

AC/TT: 6921,1
 FLIGHT LOG No: 3417
 TOTAL LANDINGS: 14868
 HOOK CYCLES: 480
 TOTAL CYCLES: 15348
 YELLOW FIELDS ARE EDITABLE

DATE: 170509
 A=AIRFRAME
 E=ENGINE
 C=CYCLES
 H=HOOK

| INSPECTION | P/N | S/N | INSTALLATION | | | TBO HRS / CYCLE | TBO M | REM HRS / CYCLE | REM DATE | HRS/ C/M IN SERV. | M.TO SERV. | HRS/E TO SERV. | CODE | VARN | REMARKS |
|--|-------------|-------------|--------------|--------------|--------|-----------------------|----------|-----------------------|-------------|-------------------------|---------------|----------------------|------|------|------------|
| | | | DATE | HRS CYCLE | ISO | | | | | | | | | | |
| FREE TURBINE REDUCTION GEAR (MODULE 5) | 70BM055420 | 9656 | 110715 | 7257,0 | 2093,0 | 3600 | 133M | 8764,0 | 220815 | 2732 h | 63,3 m | 869 h | A | | OVERHAUL |
| MUFF COUPLING | 0292708020 | 1010SET | 110715 | 7257,0 | 2093,0 | 3600 | | 8764,0 | | 2732 h | | 869 h | A | | LIFE |
| SPLINE NUT | 0292701370 | 2798B | 110715 | 7257,0 | 2093,0 | 3600 | | 8764,0 | | 2732 h | | 869 h | A | | LIFE |
| FUEL CONTROL UNIT | 0164548720 | 12CA3 | 071106 | 5334,8 | 0,0 | 3600 | 120M | 8934,8 | 171106 | 2561 h | 5,9 m | 1039 h | A | | OVERHAUL |
| 2ND STG TURBINE DISK | 0292250400 | J660AD | 101105 | 7172 c | 0 c | 6500 | | 13671,6 | | 4270 c | | 2230 c | C | | LIFE |
| AXIAL COMPRESSOR (MODULE 02) | 70BM025020 | 3554 | 160217 | 7426,8 | 4486,5 | 7200 | 180M | 10140,3 | 310217 | 4955 h | 165,5 m | 2245 h | A | | OVERHAUL |
| AXIAL WHEEL BEARING 1 (MO 2) | 9609000166 | 99144 | 160217 | 7426,8 | 4486,5 | 7200 | | 10140,3 | | 4955 h | | 2245 h | E | | LIFE |
| AXIAL WHEEL BEARING 2 (MO 2) | 9609000166 | 99146 | 160217 | 7426,8 | 4486,3 | 7200 | | 10140,5 | | 4955 h | | 2245 h | E | | LIFE |
| FREE WHEEL SHAFT ASSY | 0292907680 | 5331 | 091222 | 6873,6 | 0,0 | 3600 | | 10473,6 | | 1022 h | | 2578 h | E | | OVERHAUL |
| FREE WHEEL | 9560157860 | 6759 | 091222 | 6873,6 | 0,0 | 3600 | | 10473,6 | | 1022 h | | 2578 h | E | | LIFE |
| GAS GENERATOR (MODULE 3) | 70BM035420 | 9421 | 101105 | 7171,6 | 0,0 | 3600 | 180M | 10771,6 | 251105 | 724 h | 102,0 m | 2876 h | A | | |
| 2ND STG NGV HUB (FRONT) | 2292401800 | 10668PR | 101105 | 7171,6 | 0,0 | 3600 | | 10771,6 | | 724 h | | 2876 h | E | | LIFE |
| 2ND STG NGV HUB (REAR) | 2292401810 | 10530PR | 101105 | 7171,6 | 0,0 | 3600 | | 10771,6 | | 724 h | | 2876 h | E | | LIFE |
| REAR BEARING (MO 2) | 9609000562 | 4324 | 101105 | 7171,6 | 0,0 | 3600 | | 10771,6 | | 724 h | | 2876 h | E | | LIFE |
| FREE TURBINE ASSEMBLY (MODULE 4) (3600HRS) | 70BM045410 | 9950 | 121218 | 7339,8 | 100,0 | 3600 | 180M | 10839,8 | 271218 | 656 h | 127,5 m | 2944 h | A | | INSPECTION |
| BEARING (MO 4) | 9606080705 | 4998 | 121218 | 7339,8 | 100,0 | 3600 | | 10839,8 | | 656 h | | 2944 h | E | | LIFE |
| AXIAL COMPRESSOR (MODULE 02) | 70BM025020 | 3554 | 160217 | 7426,8 | 0,0 | 3600 | | 11026,8 | | 469 h | | 3131 h | A | | INSPECTION |
| BEARING (MO 2) | 9609000166 | 3491 | 121218 | 7339,8 | 2733,0 | 7200 | | 11806,8 | | 3289 h | | 3911 h | E | | LIFE |
| FREE TURBINE DISK | 2292252500 | ADH1070AD | 121218 | 8425 c | 5039 c | 10000 | | 13386,0 | | 5676 c | | 4324 c | C | | LIFE |
| DRV PINION ROLLER BRG #1 | 9609000336 | 3568 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| DRV PINION ROLLER BRG #2 | 9609000336 | 3363 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| OUTPUT BALL BRG | 9609000139 | 116 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| BEARING, TORQUEMETER PISTON | 9609000254 | 3058 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| INT PINION ROLLER BRG #1 | 9609000247 | 5001 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| INT PINION ROLLER BRG #2 | 9609000247 | 5003 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| OUTPUT ROLLER BRG | 9609000266 | 2997 | 110715 | 7257,0 | 2093,0 | 7200 | | 12364,0 | | 2732 h | | 4469 h | A | | LIFE |
| AXIAL WHEEL (MODULE 02) | 2292152810 | 3001FB | 160217 | 11082 c | 8642 c | 14000 | | 16440,4 | | 9001 c | | 4999 c | C | | LIFE |
| 1ST STG TURBINE BLADES | 229225A1L0 | | 101105 | 7171,6 | 0,0 | 6000 | | 13171,6 | | 724 h | | 5276 h | E | | LIFE |
| 1ST STG TURBINE DISK | 0292253240 | 639WY | 101105 | 10760 c | 0 c | 10000 | | 20760,0 | | 682 c | | 9318 c | C | | LIFE |
| FREE WHEEL BEARING | 9608650901 | 7382 | 091222 | 6873,6 | 0,0 | 7200 | | 14073,6 | | 1022 h | | 6178 h | E | | LIFE |
| 2ND STG TURBINE BLADES | 029225A2S0 | | 101105 | 7171,6 h | 0,0 | 7200 | | 14371,6 | | 724 h | | 6476 h | E | | LIFE |
| FREE TURBINE ASSEMBLY (MODULE 4) (7200HRS) | 70BM045410 | 9950 | 121218 | 7339,8 | 100,0 | 7200 | 180M | 14439,8 | 271218 | 656 h | 127,5 m | 6544 h | A | | OVERHAUL |
| FREE TURBINE BLADES | 029280A1N0 | | 121218 | 7339,8 | 100,0 | 7200 | | 14439,8 | | 656 h | | 6544 h | E | | LIFE |
| BEARING (MO 2) | 9609000166 | 23557 | 121218 | 7339,8 | 0,0 | 7200 | | 14539,8 | | 556 h | | 6644 h | E | | LIFE |
| TAIL GEAR BEARING (MO 2) | 9606490202 | 39685 | 160217 | 7426,8 | 0,0 | 7200 | | 14626,8 | | 469 h | | 6731 h | E | | LIFE |
| 2ND STG TURBINE BLADES | 029225A2S0 | | 101105 | 10760 c | 0 c | 10000 | | 20759,9 | | 682 c | | 9318 c | C | | LIFE |
| FREE WHEEL SHAFT | 0292907740 | 1310 | 091222 | 6873,6 | 0,0 | 12000 | | 18873,6 | | 1022 h | | 10978 h | E | | LIFE |
| 1ST STG TURBINE BLADES | 229225A1L0 | | 101105 | 10760 c | 0 c | 12000 | | 22759,9 | | 682 c | | 11318 c | C | | LIFE |
| FREE TURBINE BLADES | 029280A1N0 | | 121218 | 8425 c | 67 c | 12000 | | 20358,0 | | 704 c | | 11296 c | C | | LIFE |
| CENT. COMP IMPELLER | 29225A200 | 5187OTT | 101105 | 10760 c | 0 c | 14000 | | 24759,9 | | 682 c | | 13318 c | C | | LIFE |
| INSP OF ACCESSORY GEARBOX (MODULE 1) | 70BM015420 | 9664 | 030321 | | 0,0 | | 180M | | 180321 | | 10,4 m | | A | | INSPECTION |
| START DRAIN VALVE (120M) | 0174078030 | 918 | 090205 | 6212,8 | | | 120M | | 190205 | | 20,9 m | | A | | |
| OVERSPEED DRAIN VALVE | 0174126090 | A661B | 101108 | 7171,6 | | 0 | 120M | | 201108 | | 42,1 m | | A | | |
| COMPONENT DATE | | | | | | | | | | | | | | | |
| BATTERY (1), CMM 24-33-96, §2.B | 151CH-1 | X04166 | 161202 | | | | 6M | | 170602 | 5 m | 0,8 m | | VARN | | CHECK |
| TEST ELT IAW AMM 25-66-02, 5-1 | S1822502-02 | LX110038324 | 170505 | | | | 1M | | 170605 | 0 m | 0,9 m | | VARN | | AUTOTEST |

OPERATOR: HELIAIR SWEDEN AB
 AIRCRAFT TYPE: AS 350B2
 AIRCRAFT S/N: 2880
 REGISTRATION: SE-JPF
 TILLV. ÅR: 1995
 MAX STARTVIKT: 2250 KG

HOOK HOURS: 77,9

ENG.1/TT: 7895,5
 ENG. CYCLES NG: 11441,7
 ENG. CYCLES NF: 9061,7

AC/TT: 6921,1
 FLIGHT LOG No: 3417
 TOTAL LANDINGS: 14868
 HOOK CYCLES: 480
 TOTAL CYCLES: 15348

DATE: 170509

A=AIRFRAME
 E=ENGINE
 C=CYCLES
 H=HOOK

YELLOW FIELDS ARE EDITABLE

| INSPECTION | P/N | S/N | INSTALLATION | | | TBO | TBO | REM | REM | HRS/ | M:TO | HRS/E | CODE | VARN | REMARKS |
|--|-------------------------------|---------|--------------|------|-----|-----|------|-----|---------|-------|--------|-------|------|------|------------|
| | | | DATE | HRS/ | ISO | | | | | | | | | | |
| CABIN FIRE EXTINGUISHER | H1-10 | 1052410 | 110608 | | | | 72M | | 170608 | 71 m | 1,0 m | | | VARN | LIFE |
| AIRWORTHINESS REVIEW CERTIFICATE | ARC | | 160819 | | | | 12M | | 170819 | 9 m | 3,3 m | | | | RENEWAL |
| FUEL HOSE | ST11559 | | 071031 | | | | 120M | | 171031 | 114 m | 5,7 m | | | | RETIRE |
| BATTERY (1). CMM 24-33-96, §2.C | 151CH-1 | X04166 | 161202 | | | | 12M | | 171202 | 5 m | 6,8 m | | | | CHECK |
| FLOAT ATTACHMENT INSP. IAW ASB 350-05.00.63 | AD 2011-0072 | | 170130 | | | | 12M | | 180130 | 3 m | 8,7 m | | | | CHECK |
| FIRST AID KIT (EASA-OPS CAT.IDE.A.220) | 2-7129 | 680/129 | 170130 | | | | 12M | | 180130 | 3 m | 8,7 m | | | | INSPECTION |
| CABIN FIRE EXTINGUISHER, WEIGHING | H1-10 | 1052410 | 170130 | | | | 12M | | 180130 | 3 m | 8,7 m | | | | WEIGHING |
| COMPASS, STANDBY | KCA0113W | | 160426 | | | | 24M | | 180426 | 12 m | 11,6 m | | | | CHECK |
| AIRSPED INDICATOR CHECK | 38399-490-02 | | 160426 | | | | 24M | | 180426 | 12 m | 11,6 m | | | | CHECK |
| ALTIMETER | 5934PM3A84 | | 160426 | | | | 24M | | 180426 | 12 m | 11,6 m | | | | CHECK |
| LOAD RELEASE UNIT HOOK. CMM 25-50-99 | 528-023-00 | | 170505 | | | | 12M | | 180505 | 0 m | 11,9 m | | | | CLEAN & CH |
| BATTERY (1). CMM 24-33-96, §2.D. 2.E & 2.F | 151CH-1 | X04166 | 161202 | | | | 24M | | 181202 | 5 m | 18,8 m | | | | OVERHAUL |
| BATTERY (1) COMP. CLEANING. AMM 24-33-00, 2-1 | | | 160630 | | | | 24M | | 180630 | 10 m | 13,7 m | | | | CHECK |
| WEIGHT AND BALANCE | | | 161215 | | | | 48M | | 201215 | 5 m | 43,3 m | | | | CHECK |
| FUEL HOSE | 355A53-3001-7051 | | 090630 | | | | 120M | | 190630 | 94 m | 25,7 m | | | | RETIRE |
| CHECK MRH-TRH T/R DRIVE SHAFT-ENGINE/MGB COUPLING. AMM 05-60-00, 6-1 | | | 140715 | | | | 72M | | 200715 | | 38,2 m | | A | | CHECK |
| ROTOR MAST - LOWER SECTION, DETAILED CHECK. AMM 62-31-00, 6-5 | | | 140715 | | | | 72M | | 200715 | | 38,2 m | | A | | CHECK |
| MGB ASSEMBLY-TGB ASSEMBLY. AMM 05-60-00, 6-1 | | | 081024 | | | | 144M | | 201024 | | 41,6 m | | A | | CHECK |
| OIL HOSE | 355A75-1300-7451 (J26108) (1) | | 110430 | | | | 120M | | 210430 | 72 m | 47,8 m | | | | LIFE |
| OIL HOSE | 355A75-1300-7451 (J26108) (2) | | 110430 | | | | 120M | | 210430 | 72 m | 47,8 m | | | | LIFE |
| OIL HOSE | 355A75-1300-7451 (J26108) (3) | | 110430 | | | | 120M | | 210430 | 72 m | 47,8 m | | | | LIFE |
| OIL HOSE | 355A75-1300-7451 (J26108) (4) | | 110430 | | | | 120M | | 210430 | 72 m | 47,8 m | | | | LIFE |
| HYDRAULIC HOSE, 3EA | 5110D16X22,5 | | 2011-11 | | | | 120M | | 2021-11 | 66 m | 53,8 m | | | | LIFE |
| FUEL RETURN HOSE | 350A54-0100-2751 | | 2012-05 | | | | 120M | | 2022-05 | 60 m | 59,8 m | | | | RETIRE |
| ELT. KANNAD 406AF-H, BATTERY | S1820516-99 | | 160922 | | | | 77M | | 2023-02 | 7 m | 69,6 m | | | | BATT CHANC |
| OIL HOSE | 704A34412009 | | 140401 | | | | 120M | | 240401 | 37 m | 82,9 m | | | | LIFE |
| OIL HOSE | 704A34-412-011 | | 141031 | | | | 120M | | 241031 | 30 m | 89,9 m | | | | LIFE |
| OIL HOSE | 704A34-412-012 | | 150729 | | | | 120M | | 250729 | 21 m | 98,8 m | | | | LIFE |